



DOCKET NO. PF14-21-000
DRAFT RESOURCE REPORT NO. 12
POLYCHLORINATED BIPHENYL (PCB)
CONTAMINATION
PUBLIC VERSION

Document Number: USAKE-PT-SRREG-00-0012

ALASKA LNG PROJECT	DOCKET No. PF14-21-000 DRAFT RESOURCE REPORT No. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC No: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

RESOURCE REPORT NO. 12 SUMMARY OF FILING INFORMATION	
Filing Requirement	Found in Section
For projects involving the replacement or abandonment of facilities determined to have PCBs, provide a statement that activities would comply with an approved EPA disposal permit or with the requirements of the TSCA. (18 C.F.R. Section 380.12(n)(1))	Not Applicable (no PCBs)
For compressor station modification on sites that have been determined to have soils contaminated with PCBs, describe the status of remediation efforts completed to date. (18 C.F.R. Section 380.12(n)(2))	Not Applicable (no PCBs)

ALASKA LNG PROJECT	DOCKET No. PF14-21-000 DRAFT RESOURCE REPORT No. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	Doc No: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

TABLE OF CONTENTS

12.0 RESOURCE REPORT NO. 12 – POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION..... 1

12.1 PROJECT DESCRIPTION 1

12.2 PURPOSE OF RESOURCE REPORT 1

12.3 PCB CONTAMINATION..... 3

ALASKA LNG PROJECT	DOCKET NO. PF14-21-000 DRAFT RESOURCE REPORT NO. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC NO: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

ACRONYMS AND ABBREVIATIONS

ABBREVIATION	DEFINITION
Abbreviations for Units of Measurement	
°C	degrees Celsius
°F	degrees Fahrenheit
BSCF/D	billion standard cubic feet per day
cfs	cubic feet per second
cm	centimeters
dB	decibels
dBA	A-weighted decibels
ft	feet
g	grams
gpm	gallons per minute
ha	hectare
hp	horsepower
Hz	hertz
in	inches
kg	kilogram
kHz	kilohertz
kW	kilowatts
L _{dn}	day-night sound level
L _{eq}	equivalent sound level
L _{max}	maximum sound level
m ³	cubic meters
Ma	mega-annum (millions of years)
mg	milligrams
mg/L	milligrams per liter
mg/m ³	milligrams per cubic meter
MGD	million gallons per day
mm	millimeters
MMBtu/hr	million British thermal units per hour
MMSCF/D	million standard cubic feet per day
MPH	miles per hour
MMTA	million metric tons per annum
ng	nanograms
ppb	parts per billion
ppbv	parts per billion by volume
ppm	parts per million
ppmv	parts per million by volume
Psig	pounds per square inch gauge
rms	root mean square
SPL	sound pressure level

ALASKA LNG PROJECT	DOCKET NO. PF14-21-000 DRAFT RESOURCE REPORT NO. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC NO: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

ABBREVIATION	DEFINITION
tpy	tons per year
µg	microgram
µg/kg	micrograms per kilogram
µPa	micropascals
Other Abbreviations	
§	section or paragraph
AAAQS	Alaska Ambient Air Quality Standards
AAC	Alaska Administrative Code
ACC	Alaska Conservation Corps
ACEC	Areas of Critical Environmental Concern
ACP	Arctic Coastal Plain
ACRC	Alaska Climate Research Center
ACS	U.S. Census, American Community Survey
AD	aggregate dock
ADCCED	Alaska Department of Commerce, Community, and Economic Development
ADEC	Alaska Department of Environmental Conservation
ADF&G	Alaska Department of Fish and Game
ADGGS	Alaska Division of Geological and Geophysical Surveys
ADM	average daily membership
ADNR	Alaska Department of Natural Resources
ADOLWD	Alaska Department of Labor and Workforce Development
ADOT&PF	Alaska Department of Transportation and Public Facilities
AEIC	Alaska Earthquake Information Center
AES	Arctic Slope Regional Corporation Energy Service
AGDC	Alaska Gasline Development Corporation
AGPPT	Alaska Gas Producers Pipeline Team
AHPA	Alaska Historic Preservation Act
AHRS	Alaska Heritage Resources Survey
AIDEA	Alaska Industrial Development and Export Authority
AKNHP	Alaska Natural Heritage Program
AMP	approximate mile post
ANCSA	Alaska Native Claims Settlement Act
ANGPA	Alaska Natural Gas Pipeline Act
ANGTS	Alaska Natural Gas Transportation System
ANILCA	Alaska National Interest Lands Conservation Act
ANIMIDA	Arctic Nearshore Impact Monitoring in the Development Area
ANS Task Force	Aquatic Nuisance Species Task Force
ANVSA	Alaska Native Village Statistical Area
AOGCC	Alaska Oil and Gas Conservation Commission
AOI	Area of Interest
APCI	Air Products and Chemicals Inc.
APDES	Alaska Pollutant Discharge Elimination System
APE	Area of Potential Effect

ALASKA LNG PROJECT	DOCKET NO. PF14-21-000 DRAFT RESOURCE REPORT NO. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC NO: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

ABBREVIATION	DEFINITION
API	American Petroleum Institute
APP	Alaska Pipeline Project
Applicants	ExxonMobil Alaska LNG LLC, ConocoPhillips Alaska LNG Company, BP Alaska LNG LLC, TransCanada Alaska Midstream LP, and Alaska Gasline Development Corporation
APSC	Alyeska Pipeline Service Company
AQRV	Air Quality Related Value
Arctic NWR	Arctic National Wildlife Refuge
ARD	acid rock drainage
ARDF	Alaska Resource Data File
ARPA	Archaeological Resources Protection Act of 1979
ARRC	Alaska Railroad Corporation
AS	Alaska Statute
ASAP	Alaska Stand Alone Pipeline
ASME	American Society of Mechanical Engineers
ASOS	Automated Surface Observation System
ASRC	Arctic Slope Regional Corporation
ATC	Allakaket Tribal Council
ATWS	additional temporary workspace
AWOS	Automated Weather Observing System
B.C.	British Columbia
BACT	Best Available Control Technology
BGEPA	Bald and Golden Eagle Protection Act
BIA	U.S. Department of the Interior, Bureau of Indian Affairs
BLM	U.S. Department of the Interior, Bureau of Land Management
BMP	best management practices
BOD ₅	biochemical oxygen demand
BOEM	U.S. Department of the Interior, Bureau of Ocean Energy Management
BOG	boil-off gas
BP	Before Present
C.F.R.	Code of Federal Regulations
CAA	Clean Air Act
CAMA	Central Arctic Management Area
CCP	Comprehensive Conservation Plans
CDP	Census Designated Place
CEA	Chugach Electric Association
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CGF	Central Gas Facility
CGP	Construction General Permit
CH ₄	methane
CHA	Critical Habitat Area
CIRCAC	Cook Inlet Regional Citizens Advisory Council

ALASKA LNG PROJECT	DOCKET NO. PF14-21-000 DRAFT RESOURCE REPORT NO. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC NO: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

ABBREVIATION	DEFINITION
CIRI	Cook Inlet Region Inc.
CLG	Certified Local Government
CO	carbon monoxide
CO ₂	carbon dioxide
CO ₂ e	total greenhouse gas emissions, in CO ₂ -equivalent global warming potential
COC	Certificate of Compliance
CONUS	Continental U.S.
COOP	National Weather Service, Cooperative Observer Program
CPCN	Certificate of Public Convenience and Necessity
CRA	Certificate of Reasonable Assurance
CSD	Contaminated Sites Database
CSP	Contaminated Sites Program
CSU	conservation system units
CV	coefficient of variation
CWA	Clean Water Act
DB	Denali Borough
DEM	Digital Elevation Model
DGGS	ADNR Division of Geological and Geophysical Surveys
DH	dock head
DHSS	Alaska Department of Health and Social Services
DMLW	Alaska Department of Natural Resources, Division of Mining, Land, and Water
DPS	Distinct Population Segment
DWPP	Drinking Water Protection Program
EDA	U.S. Department of Commerce, Economic Development Administration
EEZ	Exclusive Economic Zone
EFH	Essential Fish Habitat
EIS	Environmental Impact Statement
EO	Executive Order
EPA	U.S. Environmental Protection Agency
EPRP	Emergency Preparedness and Response Plan
ERL	Environmental, Regulatory and Lands
ERMA	Extended Recreation Management Areas
ESA	Endangered Species Act
ESD	Emergency Shut Down
ESU	Evolutionary Significant Unit
FAA	U.S. Department of Transportation, Federal Aviation Administration
FCC	Federal Communications Commission
FE	U.S. Department of Energy, Office of Fossil Energy
FEED	front-end engineering design
FEIS	Final Environmental Impact Statement
FEMA	U.S. Department of Homeland Security, Federal Emergency Management Agency
FERC	U.S. Department of Energy, Federal Energy Regulatory Commission

ALASKA LNG PROJECT	DOCKET NO. PF14-21-000 DRAFT RESOURCE REPORT NO. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC NO: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

ABBREVIATION	DEFINITION
FERC Plan	FERC Erosion Control, Revegetation, and Maintenance Plan
FERC Procedures	FERC Wetland and Waterbody Construction and Mitigation Procedures
FLPMA	Federal Land Policy and Management Act (of 1976) BLM
FMP	Fisheries Management Plan
FNSB	Fairbanks North Star Borough
FR	Federal Regulation
GDP	Gross Domestic Product
GHG	greenhouse gases
GIS	geographic information system
GMU	Game Management Units
GP	General Permit
GRI	Gas Research Institute
GTP	gas treatment plant
GWP	Global Warming Potential
H ₂ S	hydrogen sulfide
HABS	Historic American Building Survey
HAER	Historic American Engineering Record
HAP	Hazardous Air Pollutant
HAPC	Habitat Areas of Particular Concern
HCA	High Consequence Area
HDD	horizontal directional drill
HDMS	Hazard Detection and Mitigation System
HGM	hydrogeomorphic
HLV	heavy lift vessel
HMR	Hazardous Materials Regulations
HRS	Hazard Ranking System
IBA	Important Bird Areas
ICS	Incident Command System
IHA	Incidental Harassment Authorization
IHLC	Inupiat History, Language, and Culture
ILI	In-line Inspection
IMP	Integrity Management Plan
IP	Individual Permit
ISO	International Organization for Standardization
JPO	State and Federal Joint Pipeline Office
kbpd	thousand barrels per day
KCC	Kuparuk Construction Camp
KOP	key observation points
KPB	Kenai Peninsula Borough
KTC	Kuparuk Transportation Company
LiDAR	light detection and ranging
Liquefaction Facility	natural gas liquefaction

ALASKA LNG PROJECT	DOCKET NO. PF14-21-000 DRAFT RESOURCE REPORT NO. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC NO: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

ABBREVIATION	DEFINITION
LLC	Limited Liability Company
LNG	liquefied natural gas
LNGC	liquefied natural gas carrier
LOA	Letter of Authorization
LOD	Limits of Distribution
LP	Limited Partnership
LPG	liquefied petroleum gas
LUP	Land Use Permit
LUST	Leaking Underground Storage Tanks
MACT	maximum achievable control technology
Mainline	An approximately 800-mile-long, large-diameter gas pipeline
MAOP	maximum allowable operating pressure
MARPOL	Marine Pollution Protocol
MBTA	Migratory Bird Treaty Act
MCD	marine construction dock
MHHW	mean higher high water
MHW	mean high water
ML&P	Anchorage Municipal Light and Power
MLA	Mineral Leasing Act
MLBV	Mainline block valve
MLLW	mean lower low water
MLW	mean low water
MMPA	Marine Mammal Protection Act
MMS	Mainline Meter Station
MOE	margin of error
MOF	material offloading facility
MP	Mainline milepost
MPRSA	Marine Protection Research and Sanctuaries Act of 1972
MSB	Matanuska-Susitna Borough
MSCFD	Thousand standard cubic feet per day
N ₂ O	nitrous oxide
NAAQS	National Ambient Air Quality Standards
NAS	nonindigenous aquatic species
NCC	national certification corporation
NCDC	National Climatic Data Center
NDE	non-destructive examination
NEP	non-essential experimental population
NEPA	National Environmental Policy Act
NESHAPs	National Emission Standards for Hazardous Air Pollutants
NFIP	National Flood Insurance Program
NGA	Natural Gas Act
NHPA	National Historic Preservation Act of 1996, as amended

ALASKA LNG PROJECT	DOCKET NO. PF14-21-000 DRAFT RESOURCE REPORT NO. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC NO: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

ABBREVIATION	DEFINITION
NID	Negligible Impact Determination
NLURA	Northern Land Use Research Alaska, LLC
NMFS	National Oceanic and Atmospheric Administration, National Marine Fisheries Service
NO ₂	nitrogen dioxide
NO _x	nitrogen oxides
NOAA	National Oceanographic and Atmospheric Administration
NOI	Notice of Intent
North Slope	Alaska North Slope
NPDES	National Pollutant Discharge Elimination Systems
NPL	National Priority List
NPP	National Park and Preserve
NPR-A	National Petroleum Reserve – Alaska
NPS	National Park Service
NRCS	Natural Resources Conservation Service
NRHP	National Register of Historic Places
NSA	Noise-Sensitive Areas
NSB	North Slope Borough
NSPS	New Source Performance Standards
NTC	national training center
NTP	Notice to Proceed
NVIC	Navigation and Vessel Inspection Circular
NWA	Northwest Alaska Pipeline
NWI	National Wetland Inventory
NWR	National Wildlife Refuge
O ₃	Ozone
OC	open-cut
OCS	Outer Continental Shelf
OD	outside diameter
OEP	FERC, Office of Energy Projects
OHA	ADNR Division of Parks and Outdoor Recreation, Office of History and Archaeology
ONA	Outstanding Natural Area
OPMP	ADNR, Office of Project Management and Permitting
OU	Operating unit
PAC	potentially affected community
Pb	the element lead
PBTL	Prudhoe Bay Gas Transmission Line
PBU	Prudhoe Bay Unit
PCB	polychlorinated biphenyl
PHMSA	Pipeline and Hazardous Materials Safety Administration
PM _{2.5}	particulate matter having an aerodynamic diameter of 2.5 microns or less
PM ₁₀	particulate matter having an aerodynamic diameter of 10 microns or less
PMP	Point Thomson Gas Transmission Line milepost

ALASKA LNG PROJECT	DOCKET NO. PF14-21-000 DRAFT RESOURCE REPORT NO. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC NO: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

ABBREVIATION	DEFINITION
POC	Plan of Cooperation
POD	Plan of Development
Project	Alaska LNG Project
PRPA	Paleontological Resources Preservation Act
PSD	Prevention of Significant Deterioration
PTTL	Point Thomson Gas Transmission Line
PTU	Point Thomson Unit
PWS	public water supply
Q&A	question and answer
RCA	Regulatory Commission of Alaska
RCRA	Resource Conservation and Recovery Act
RNA	Research Natural Area
ROD	Record of Decision
ROE	right-of-entry
ROW	right-of-way
RR	Resource Report
SCC	Deadhorse Airport
SDWA	Safe Drinking Water Act
SEIS	Supplemental Environmental Impact Statement
SGR	State Game Refuge
SHPO	State Historic Preservation Office(r)
SIP	State Implementation Plan
SMA	Special Management Areas
SRMA	Special Recreation Management Areas
SO ₂	sulfur dioxide
SPCC	Spill Prevention, Control, and Countermeasure Plan
SPCO	State Pipeline Coordinator's Office
SPLASH	Structure of Populations, Levels of Abundance, and Status of Humpbacks
SPMT	self-propelled module transporters
SRA	State Recreation Area
SRR	State Recreation River
STATSGO	State Soil Geographic
STATSGO2	State Soil Geographic2 – General Soils Map of Alaska & Soils Data (2011)
SWAPA	Southwest Alaska Pilots Association
SWPPP	Stormwater Pollution Prevention Plan
TAHC	total aliphatic hydrocarbons
TAPS	Trans-Alaska Pipeline System
TBD	To be determined
TCC	Tanana Chiefs Conference
The Applicants' Plan	Applicants' Upland Erosion Control, Revegetation, and Maintenance Plan
The Applicants' Procedures	Applicants' Wetland and Waterbody Construction, and Mitigation Procedures
TPAH	total polycyclic aromatic hydrocarbons

ALASKA LNG PROJECT	DOCKET NO. PF14-21-000 DRAFT RESOURCE REPORT NO. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC No: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

ABBREVIATION	DEFINITION
TSA	Transportation Security Administration
TSCA	Toxic Substances Control Act
TSD	tug support dock
TSS	total suspended solids
UCIDA	United Cook Inlet Drift Association
UIC	Underground Injection Control
U.S.	United States
U.S.C.	U.S. Code
USACE	U.S. Army Corps of Engineers
USCG	U.S. Coast Guard
USDA	U.S. Department of Agriculture
USDHHS	U.S. Department of Health and Human Services
USDOE	U.S. Department of Energy
USDOI	U.S. Department of the Interior
USDOT	U.S. Department of Transportation
USDW	underground sources of drinking water
USFS	U.S. Department of Agriculture, Forest Service
USFWS	U.S. Department of the Interior, Fish and Wildlife Service
USGS	U.S. Geological Survey
VOC	volatile organic compound
VPSO	Village Public Safety Officer
VRM	Visual Resource Management Methodology
VSM	Vertical Support Members
WELTS	Well Log Tracking System
WRCC	Western Regional Climate Center
WSA	Waterway Suitability Assessment
WSR	Wild and Scenic Rivers

ALASKA LNG PROJECT	DOCKET No. PF14-21-000 DRAFT RESOURCE REPORT No. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	Doc No: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

Information in this draft Resource Report, including maps, is preliminary and may change during Project pre-filing. Updated information will be provided in the subsequent draft and final versions of the Resource Reports.

12.0 RESOURCE REPORT NO. 12 – POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION

12.1 PROJECT DESCRIPTION

The Alaska Gasline Development Corporation, BP Alaska LNG LLC, ConocoPhillips Alaska LNG Company, ExxonMobil Alaska LNG LLC, and TransCanada Alaska Midstream LP (Applicants) plan to construct one integrated LNG Project (Project) with interdependent facilities for the purpose of liquefying supplies of natural gas from Alaska, in particular the Point Thomson Unit (PTU) and Prudhoe Bay Unit (PBU) production fields on the Alaska North Slope (North Slope), for export in foreign commerce and opportunity for in-state deliveries of natural gas.

The Natural Gas Act (NGA), 15 U.S.C. § 717a(11) (2006), and FERC regulations, 18 C.F.R. § 153.2(d) (2014), define “LNG terminal” to include “all natural gas facilities located onshore or in State waters that are used to receive, unload, load, store, transport, gasify, liquefy, or process natural gas that is ... exported to a foreign country from the United States.” With respect to this Project, the “LNG terminal” includes the following: a liquefaction facility (Liquefaction Facility) in Southcentral Alaska; an approximately 800-mile, large diameter gas pipeline (Mainline); a gas treatment plant (GTP) on the North Slope; a gas transmission line connecting the GTP to the PTU gas production facility (PTU Gas Transmission Line or PTTL); and a gas transmission line connecting the GTP to the PBU gas production facility (PBU Gas Transmission Line or PBTL). All of these facilities are essential to export natural gas in foreign commerce.

These components are shown in Resource Report No. 1, Figure 1.1-1, and their current basis for design is described below.

The new Liquefaction Facility will be constructed on the eastern shore of Cook Inlet in the Nikiski area of the Kenai Peninsula. The Liquefaction Facility will include the structures, equipment, underlying access rights and all other associated systems for pre-processing (other than that performed by the GTP) and liquefaction of natural gas, as well as storage and loading of LNG, including terminal facilities (dock) and auxiliary marine vessels used to support marine terminal operations (excluding LNG carriers). The Liquefaction Facility will include three liquefaction trains combining to process up to approximately 20 million metric tons per annum (MMTPA) of LNG. Three 160,000 cubic meter (m³) tanks will be constructed to store the LNG. The Liquefaction Facility will be capable of accommodating two LNG carriers. The size range of LNG carriers that the Liquefaction Facility will accommodate will be determined through further engineering study and consultation with the United States Coast Guard (USCG) as part of the Waterway Suitability Assessment (WSA) process.

In addition to the Liquefaction Facility, the LNG Terminal will include the following interdependent facilities:

ALASKA LNG PROJECT	DOCKET No. PF14-21-000 DRAFT RESOURCE REPORT No. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC No: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

- Mainline: A new large-diameter natural gas pipeline approximately 800 miles in length will extend from the Liquefaction Facility to the GTP on the North Slope, including the structures, equipment, and all other associated systems. The diameter of the pipeline has not been finalized but for the purpose of these resource reports a 42-inch diameter pipeline is assumed. The Mainline will include compressor stations, heater stations, meter stations, and various mainline block valves; pig launcher and receiver facilities; and associated ancillary and auxiliary facilities. Ancillary and auxiliary facilities will include additional temporary work spaces, access roads, helipads, construction camps, pipe storage areas, contractor yards, material extraction sites, and material disposal sites. Along the Mainline route, there will be at least five off-take interconnection points to allow for the opportunity for future in-state deliveries of natural gas. The size and location of such interconnection points are unknown at this time. None of the potential third-party facilities used to condition, if required, or move natural gas away from these off-take points will be part of the Project.
- GTP: A new GTP and associated facilities in the Prudhoe Bay area will receive natural gas from the PBU Gas Transmission Line and the PTU Gas Transmission Line. The GTP will treat/process the natural gas for delivery into the Mainline. The Project also includes a new pipeline that will deliver natural gas processing byproducts from the GTP to the PBU.
- PBU Gas Transmission Line: A new natural gas transmission line will extend approximately one mile from the inlet flange of the GTP to the outlet flange of the PBU gas production facility.
- PTU Gas Transmission Line: A new natural gas transmission line will extend approximately 60 miles from the inlet flange of the GTP to the outlet flange of the PTU gas production facility.
- Ancillary Facilities: Existing State of Alaska transportation infrastructure will be used during the construction of these new facilities including ports, airports, roads, and airstrips (potentially including previously abandoned airstrips). The potential need for new infrastructure and modifications or additions to these existing in-state facilities is under evaluation. The Liquefaction Facility, Mainline, and GTP will require the construction of material offloading facilities.

Draft Resource Report No. 1, Appendices A and B contain general maps of the Project footprint. Detailed plot plans will be developed during the pre-front-end engineering and design (Pre-FEED) process and will be provided to the Commission in a subsequent draft of Resource Report No. 1. An update to the current list of affected landowners is being filed under separate cover as privileged and confidential information.

Outside the scope of the Project, but in support of, or related to, the Project, additional facilities or expansion/modification of existing facilities will be needed or may be constructed. These other projects may include:

ALASKA LNG PROJECT	DOCKET No. PF14-21-000 DRAFT RESOURCE REPORT No. 12 POLYCHLORINATED BIPHENYL (PCB) CONTAMINATION	DOC No: USAI-EX-SRREG-00-0012 DATE: FEBRUARY 2, 2015 REVISION: 0
	PUBLIC VERSION	

- Modifications/new facilities at the PTU;
- Modifications/new facilities at the PBU;
- Relocation of the Kenai Spur Highway; and
- Third-party pipelines and associated infrastructure to transport natural gas from the off-take interconnection points to markets in Alaska.

12.2 PURPOSE OF RESOURCE REPORT

As required by 18 C.F.R. § 380.12, the Applicants have prepared this draft Resource Report in support of a future application under Section 3 of the NGA to construct and operate the Project facilities.

The purpose of this Resource Report is to identify, describe, and list potential PCB contamination associated with the proposed Project.

12.3 PCB CONTAMINATION

The Project does not involve:

- The replacement, abandonment by removal, or abandonment in place of facilities identified as having PCBs in excess of 50 ppm in pipeline liquids; or
- Compressor stations or other aboveground facility modifications on sites identified as having soils contaminated with PCBs.

Accordingly, no U.S. Environmental Protection Agency (EPA) PCB disposal permits or other Toxic Substances Control Act (TSCA) requirements apply to the Project.